




CHABROS
INTERNATIONAL GROUP

FZCO (DUBAI BRANCH)

Toll Free: 800-CHABROS Tel: 04-8807078 Fax: 04-8807079 P.O. Box: 40027 Dubai - UAE. Email: info@chabros.com

Technical Specification for Solid Maple Sports Flooring



Product Name	: Solid Maple Flooring
Type	: Solid
Size in mm	: 20 x 57/98 x RL
System	: Tongue and Groove
Colour	: Creamy-white with a natural luster on quartered surfaces, tends to weather and mature into light tan color
Shape	: Generally straight
Texture	: Fine

WWW.CHABROS.COM





CHABROS
INTERNATIONAL GROUP
FZCO (DUBAI BRANCH)

Toll Free: 800-CHABROS Tel: 04-8807078 Fax: 04-8807079 P.O. Box: 40027 Dubai - UAE. Email: info@chabros.com

Technical Specification for InstaCradle



ACOUSTIC CRADLES FOR USE AS PART OF A FLOOR LEVELLING SYSTEM IN COMMERCIAL AND DOMESTIC APPLICATIONS.

A. High Performance Acoustic Cradles: Suitable for use on concrete and timber sub-floors.

i. **Acoustic Cradle – 40mm Leg, 20mm Base**

- a. Base Thickness: 20mm.
- b. Leg Height: 40mm.
- c. Total Height: 60mm.
- d. Dimensions (l x w): 100mm x 100mm.
- e. Weight: 0.25kg.
- f. Box Weight: 22.50kg.
- g. Box Quantity: 90
- h. Colour and Appearance: Black rubber crumb.
- i. Measured Improvement of Impact Sound (ΔL_w): 28dB.
- j. Accessories:
 - Cradle Packers: 2mm and 5mm.
 - Base Packers: 10mm and 30mm.
 - Chipboard: 18mm or 22mm thick.
 - Plywood: 18mm or 22mm thick.
 - Timber Battens: 43mm x 43mm x 1.8m / 35mm x 43mm x 1.8m / 25mm x 43mm x 1.8m.
 - Resilient Flanking Strip.
 - Damp Proof Membrane.

WWW.CHABROS.COM





CHABROS

INTERNATIONAL GROUP

FZCO (DUBAI BRANCH)

Toll Free: 800-CHABROS Tel: 04-8807078 Fax: 04-8807079 P.O. Box: 40027 Dubai - UAE. Email: info@chabros.com

ii. **Acoustic Cradle – 25mm Leg, 20mm Base**

- a. Base Thickness: 20mm.
- b. Leg Height: 25mm.
- c. Total Height: 45mm.
- d. Dimensions (l x w): 100mm x 100mm.
- e. Weight: 0.18kg.
- f. Box Weight: 21.60kg.
- g. Box Quantity: 120
- h. Colour and Appearance: Black rubber crumb.
- i. Measured Improvement of Impact Sound (ΔL_w): 28dB.
- j. Accessories:
 - Cradle Packers: 2mm and 5mm.
 - Base Packers: 10mm and 30mm.
 - Chipboard: 18mm or 22mm thick.
 - Plywood: 18mm or 22mm thick.
 - Timber Battens: 43mm x 43mm x 1.8m / 35mm x 43mm x 1.8m / 25mm x 43mm x 1.8m.
 - Resilient Flanking Strip.
 - Damp Proof Membrane.

iii. **Acoustic Cradle – 25mm Leg, 10mm Base**

- a. Base Thickness: 10mm.
- b. Leg Height: 25mm.
- c. Total Height: 35mm.
- d. Dimensions (l x w): 100mm x 100mm.
- e. Weight: 0.13kg.
- f. Box Weight: 19.50kg.
- g. Box Quantity: 150
- h. Colour and Appearance: Black rubber crumb.
- i. Measured Improvement of Impact Sound (ΔL_w): 28dB.
- j. Accessories:
 - Cradle Packers: 2mm and 5mm.
 - Base Packers: 10mm and 30mm.
 - Chipboard: 18mm or 22mm thick.
 - Plywood: 18mm or 22mm thick.
 - Timber Battens: 43mm x 43mm x 1.8m / 35mm x 43mm x 1.8m / 25mm x 43mm x 1.8m.
 - Resilient Flanking Strip.
 - Damp Proof Membrane.

WWW.CHABROS





CHABROS

INTERNATIONAL GROUP

FZCO (DUBAI BRANCH)

Toll Free: 800-CHABROS Tel: 04-8807078 Fax: 04-8807079 P.O. Box: 40027 Dubai - UAE. Email: info@chabros.com

APPLICATIONS

	Acoustic Cradles	Sports Cradles	Base Packers
High Acoustic Performance	✓		
New Build	✓	✓	
Refurbishment	✓	✓	
Timber Floor - Level	✓	✓	
Timber Floor - Uneven	✓	✓	
Concrete Floor - Level	✓	✓	
Concrete Floor - Uneven	✓	✓	
Timber Frame	✓		
Kitchen & Bathroom Areas	✓		
Timber Decking	✓		
Commercial Installations	✓		
Schools	✓		
Sports Floors		✓	
Dance Floors		✓	
Free Weight Areas	✓	✓	
Abnormal Loadings	✓		
Underfloor Heating	✓	✓	
Floor Levelling Capability	✓	✓	
Increased Floor Height			✓
Access Runs	✓	✓	
Access For Services	✓	✓	



WWW.CHABROS.COM

